

GRAFITTI COMPUTERS

GRAFITTI SRL

RO 6990284

J32/86/1995

CALEA DUMBRAVII NR 41 SIBIU

TEL /FAX 0269232091

RO95BTRL03301202679600XX

TRANSILVANIA SIBIU

PRETURI SPECIALE 01.06-08.06. 2010

ASUS K50AB-SX057L, K50AB 15,6" HD ColorShine, AMD Turion Ultra ZM84, 4GB DDR2, 500 HDD SATA 5400RPM, Ati 4570 512MB DDR2 VRAM, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Linux	2179.88
ASUS K50IN-SX045L, K50IN, 15.6" HD ColorShine, Intel Core 2 Duo T5900(2.2G), 4096MB(2048MBx2), 500GB HDD 5400rpm SATA, NVidia G102M 512MB VRAM, 1,3 Mpx DV, WiFi 802.11bgn, DVD Super Multi with DL, 6 cell	2286.08
ASUS VW193D-B, WideScreen, 300cd/m2, 850:1, 5ms, D-Sub, TCO 06, Black	430.39
ASUS VW196D, WideScreen, 250cd/m2, 50000:1, 5ms, D-Sub, TCO 08, Black	430.39
BitDefender Internet Security 2010 OEM cu CD 1 licenta, 1an	38.57
BitDefender Internet Security 2010 OEM fara CD 1 licenta, 1an	27.95
HANNS.G HW191APB, WideScreen, 300cd, 2500:1, 5ms, D-Sub, Speakers, TCO03, Black	407.47
HANNS.G HZ194APB, WideScreen, 250cd, 10.000:1, 5ms, D-Sub, Speakers, TCO03, Glossy Black	407.47
Viewsonic VX1940w-3, WideScreen, 300cd/m2, 3000:1, 2ms, D-Sub, TCO 03, Black, Super-HD	419.21
ASUS ATI EAH5450/DI/1GD3(LP), PCIE2.1, 1024MB GDDR3 64 bit/ DVI-I/ HDMI	283.46
ASUS ATI EAH5770/2DI/512MD5, HD5770/ PCIE2.1/ 512MB DDR5-128it/ 850MHz/ 4800MHz/ Active Dual slot/ HDTV/ DVI-I*2(1HDCP)/ HDMI/ DX11	645.93
ASUS My Cinema-PE6200Analog TV tuner card with HW MPEG2 encoder built-in + FM (Analog, PCIE, Low profile)	148.7
ASUS NVIDIA EN210/G/DI/512MD2(LP), GFGT210/ PCIE 2.0/ 512Mb DDR2-64bit/ 800Mhz/1402Ghz/Active Fan Single slot/ 1xDVI-I HDCP/ Native HDMI/ LP bracket	195.17
ASUS Socket AM2/AM2+, M3A78-CM, AMD 780V/SB700, 4*DDR2 1066, Dual Ch, VGA, S-ATA2, GbLan, PCI-e	290.9
ASUS Socket LGA1156, P7H55D-M-PRO, INTEL H55, 4xDDR3-2133(OC D Ch, VGA(max 1748MB Sh), 1xPCIE2.0x16/1xPCIE1/2xPCI, D-Sub/DVI/HDMI, SATA 3Gb/sx6, ATA133*1, Express Gate,8-CH(HD) ALC 892, S/PDIF, GbLan, mATX	453.08
ASUS Socket LGA1156, P7P55D-LE, INTEL P55, 4xDDR3-2000(O.C.)/ DCh, 4xPCIE2.0x16/2xPCIE1/3xPCI, SATA 3Gb/sx6(RAID), ATA133x1/SATA 3Gb/sx1 (1xeSATA), 8-CH(HD), 1xGbLan Realtek, ATX	577.62
ASUS Socket LGA1156, P7Q57-M-DO, INTEL Q57, 4xDDR3-1333/1066 Dual Ch, VGA(max 128MB Sh), 1xPCIE2.0x16/1xPCIE1/2xPCI, D-Sub/DVI/HDMI, ATA133x1/SATA 3Gb/sx6(RAID),6-CH(HD),GbLan, mATX	525.57
ASUS Socket LGA775, P5G41T-M LE, INTEL G41/ICH7, 2DDR3 1333 (O.C.)/1066/800 Dual Ch, VGA 1G(1024MB) 1xD-Sub/1xDVI, 1xPCIE2.0x16/1xPCI/2xPCIE1, SATA 3Gb/sx6, ATA133x1, 8-CH, GbLan, 12xUSB2.0, mATX	264.88
ASUS Socket LGA775, P5KPL-SE, G31/ICH7, 2xDDR2-1066(O.C.) Dual Ch, 1xPCIE16/3xPCIE1/3xPCI, ATA100x1/SATA 3Gb/sx4, 6-CH(HD), GbLan, ATX	252.33
ASUS Socket LGA775, P5P43TD PRO, INTEL P43/ICH10, 1600/1333/1066/800MHz, 4xDDR3-1600/1333/1066/800 Dual Ch, 1xPCIE2.0x16/3xPCI/2xPCIE1, SATA 3Gb/sx6, ATA133x1, 8-CH, GbLan, 12xUSB2.0, 1x1394a, ATX	384.77
Corsair KIT 2x2 DDR2 4GB 1066Mhz, 5-5-5-15, radiator, DHX, EPP, DOMINATOR	525.11
Corsair KIT 2x2 DDR2 4GB 1066Mhz, CL5, radiator, XMS2	496.76
INTEL Core i3-540, 3.06GHz, 4MB, Socket 1156, 32nm, procesor grafic integrat, BOX	629.66
INTEL Core i7-870, 2.93GHz/8MB, Socket 1156, BOX	2427.1
INTEL Core i7-940, 2.93GHz/1600/8MB, 4.8GT/sec, Socket 1366, BOX	2084.62
Kingmax DDR 512MB 400Mhz	76.67
Kingmax DDR2 1GB 667Mhz	92.94
Kingmax DDR2 2GB 1066Mhz	198.89
Kingmax DDR2 2GB 800Mhz	189.13
Kingmax Memorie 2GB Micro SecureDigital	25.56
Kingmax Memorie 2GB SecureDigital	25.56
Kingmax Memorie 4GB Micro SecureDigital HC	40.89
KME CX3156-02,USB2.0+audio,all black,450W	87.83
KME CX7056-02, USB 2.0, SATA, 450W, Black	92.47
KME PX-450RPEG, 450W, S-ATA, cablu alimentare inclus	47.86
MSI Socket LGA1156, H55M-ED55, IntelH55, 4DDR3, 2PCI-Ex16, 1PCI-Ex1, 1PCI, 6SATAII, GbLAN, DVI, APS, Heatsink, uATX	452.15
MSI Socket LGA1156, P55-GD55, Intel P55, 4xDDR3 1333, 2PCI-Ex16, 3PCI-Ex1, 2xPCI, 6SATAII, 2eSATAII, SolidCap, GbLAN, DrMOS, APS, OC Genie, Heatsink, ATX	534.86
MSI Socket LGA775, G31TM-P35, Intel G31+ICH7, 2DDR2 800, 1PCI-Ex16, 2PCI, 4SATAII, VGA 256MB (include DVMT), Realtek GbLAN, Heatsink, 95W CPU, 8 Ch, OC Switch, Solid Cap, uATX	169.61
RAIDMAX RX-420, real power, 20P+4P, 12cm black fan 1500rpm, SECC black, w/SATAx2, Retail box	106.88
RAIDMAX RX-420BK, real power, 20P+4P, 12cm blue led fan 1500rpm, SECC black, w/SATAx2, Retail box	106.88

SAPPHIRE ATI HD4650 512M DDR2 AGP DUAL DVI-I / TVO / Single Slot Fan Cooler/ 32M x 16 DDR2 128-bit/ 600MHz / 400MHz / Active DVI-to-HDMI adapter/ 7-pin HDTV/ Lite	310.88
SAPPHIRE ATI HD5450 1G DDR2 PCI-E HDMI / DVI-I / VGA / Single Slot Heatsink/ 64M x 16, 64-bit/ 650MHz / 406MHz/ bundle with LP brackets/ Lite	231.88
SAPPHIRE ATI HD5450 512M DDR2 PCI-E HDMI / DVI-I / VGA / Single Slot Heatsink; 64M x 16 DDR2 64-bit; 650MHz / 400MHz; bundle with LP brackets/ Lite	175.65
SAPPHIRE ATI HD5450 512M DDR3 PCI-E HDMI / DVI-I / VGA/ Single Slot Heatsink/ 64M x 16 DDR3 64-bit/ 650MHz / 800MHz/ bundle with LP brackets/ Lite	200.28
SAPPHIRE ATI ULTIMATE HD4670 512M GDDR3 PCI-E HDMI / DVI-I / VGA/ Dual Slot Heatpipe/ 16M x 32 GDDR3 128-bit/ 750MHz / 873MHz/ Lite	285.32
SAPPHIRE ATI VAPOR-X HD5770 1G GDDR5 PCI-E DUAL DVI-I / HDMI/ DP OC VERSION/ Dual Slot Fan Cooler/ 32M x 32 GDDR5 128-bit/ 860MHz/ 1200MHz/ CF Bridge Cable/ 4-pin-6-pin cable/ Lite	766.75
SEAGATE 160GB, Barracuda 7200.12, SATA2/8MB, ST3160318AS	160.32
SEAGATE 160GB, Momentus 7200.4, SATA2/16MB, 2.5-inch (notebook), ST9160412AS	190.06
SEAGATE 500GB, Barracuda LP, SATA2/16MB, ST3500412AS	186.34
takeMS DDR2 2GB 800Mhz CL5	189.13
TRENDNET TE100-S50G Switch 5-port, 10/100MBPS, GREENnet, Metal case	55.76
WESTERN DIGITAL 320GB, Caviar Blue, 7200rpm/SATA2/16MB, WD3200AAKS	180.3
WESTERN DIGITAL 320GB, Caviar Blue, 7200rpm/SATA2/8MB, WD3200AAJS	175.19
WESTERN DIGITAL 640GB, Caviar Blue, 7200rpm/SATA2/16MB, WD6400AAKS	225.84
WESTERN DIGITAL 750GB, Caviar Black, 7200rpm/SATA2/32MB, WD7501AALS	333.65

